



## LED Slim Panel EcoMax UGR22

- Slim and well designed, also suitable for suspension
- Up to 55% lower energy consumption vs TL
- Suspension kit and ceiling clip accessories available
- Surface module available (65mm thickness)



## Specifications

Item Code	Item Description	Equivalent to (W)	Power (W)	Lumen	Efficacy (lm/W)	CCT (K)	Weight (kg/pc)
140062707	LEDPanelRc-S-E2 Re295-34W-4000-WH-U22	TL 2x36W	34	3500	105	4000	3.20

Available on request with 3- pole Wieland GST18i connector  
Emergency lighting available on request

## Accessories



140055486  
LEDPanelRc-SI Re300-Surface-Module-WH-CT



140053150  
LEDPanelRc-SI-E Mounting-Springs



140055365  
LEDPanel-SI-E-Suspension-Kit

## Packaging Information

Item		Box			
Item Code	Item Description	Dimensions (mm) (LxWxH)	Gross Weight (kg)	EAN	pc/box
140053150	LEDPanelRc-SI-E Mounting-Springs	70x25x90	0.11	6956712647900	1
140053150	LEDPanelRc-SI-E Mounting-Springs	380x200x280	12.30	6956712682888	100
140055365	LEDPanel-SI-E-Suspension-Kit	80x25x120	0.15	6956712682802	1
140055365	LEDPanel-SI-E-Suspension-Kit	430x260x280	16.30	6956712682895	100
140055486	LEDPanelRc-SI Re300-Surface-Module-WH-CT	1290x390x118	3.83	6956321879822	1
140062707	LEDPanelRc-S-E2 Re295-34W-4000-WH-U22	1320x42x385	3.25	6945730453822	1
140062707	LEDPanelRc-S-E2 Re295-34W-4000-WH-U22	1340x192x402	13.00	6945730415264	4



## Installation Opening Drawing (mm)

LEDPanelRc-S-E2 Re295

270 x 1170

