



## **ATLD/W**

Twistlock GU10 50W Die-Cast Downlight White



## **Features**

Manufactured from high grade die-cast aluminium.

Permanent earth on stirrup bracket for GU10 mains earthing.

Generous size of terminal housing for ease of wiring.

## General Information

---

Lamp Type	GU10
Colour / Finish	White
OCTO Compatibility	Smart Indoor controller
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
CE Mark	Yes
Diameter (mm)	82
Height (mm)	108
Accessories	ATL/BA

---

## Technical Information

---

Wattage	50W
---------	-----

---

## Technical Data - ETIM - Downlight/spot/floodlight (EC001744)

Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Suitable for wall mounting	No
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for traverse mounting	No
Suitable for pedestal/floor mounting	No
Suitable for light-track mounting	No
Adjustability	Not adjustable
With movement sensor	No
With light sensor	No
With light source	No
Suitable for number of lamps	1
Lamp holder	GU10
Material housing	Aluminium
Colour housing	White
Degree of protection (IP)	IP20
Protection class	I
Max. system power	50 W
Width	160 mm
Height/depth	108 mm
Outer diameter	82 mm

Datasheet generated from <https://onetimepim.com> last updated Monday, November 4, 2019 1:46:09 PM

